

**Conceptual Design for a Detector to Measure Mixing, CP
Violation and Rare Decays in Beauty and Charm Particle Decays
at the Fermilab Collider - BTeV***

March 2004

G.Y. Drobychev, A.S. Lobko, A.R. Lopatik and R.F. Zouevsky

Belarussian State University, National Science and Education Center, 240040, Minsk

P. Yager

University of California at Davis, Exp. High Energy Group, One Shields Ave.,
Davis CA 95616-8677 USA

J. Cumalat, P. Rankin and K. Stenson

University of Colorado, High Energy Physics, Campus Box 390,
Boulder, CO 80309, USA

J. A. Appel, E. Barsotti, C. N. Brown, J. Butler, H. Cheung, D. Christian,
S. Cihangir, M. Fischler, I. Gaines, P. Garbincius, L. Garren, E. E. Gottschalk,
A. Hahn, G. Jackson, P. Kasper, P. H. Kasper, R. Kutschke, S. W. Kwan, P. Lebrun,
P. McBride, J. Slaughter, M. Votava, M. Wang, and J. Yarba

Fermilab, PO Box 500, Batavia, IL 60510, USA

P. Avery

University of Florida, Gainesville, FL 32611, USA

A. Daniel, K. Lau, M. Ispiryan, B.W. Mayes, V. Rodriguez, and S. Subramania, and G. Xu
University of Houston, Houston, TX 77204-5506, USA

R.A. Burnstein, D.M. Kaplan, L.M. Lederman, H.A. Rubin, and C. White
Illinois Institute of Technology, Chicago, IL 60616, USA

M. Haney, D. Kim, M. Selen, V. Simaitis, and J. Wiss

University of Illinois at Urbana-Champaign, High Energy Physics,
441 Loomis Lab. of Physics, 1110 W. Green St., Urbana, IL 61801-3080, USA

M. Bertani, L. Benussi, S. Bianco, M.A. Caponero, F. Fabbri, A. Felli, M. Giardoni,
A. LaMonaca, E. Pace, M. Pallotta and A. Paolozzi

INFN - Laboratori Nazionali di Frascati, CP 13, via E. Fermi 40,
1-00044, Frascati, Roma, Italy

G. Alimonti, M. Dinardo, L. Edera, S. Erba, D. Lunesu, S. Magni, D. Menasce,
L. Moroni, D. Pedrini, S. Sala and L. Uplegger

INFN and University of Milano, Italy

G. Boca, G. Cossali, G. Liguori, F. Manfredi, M. Manghisoni, M. Marengo, L. Ratti,
V. Re, M. Santini, V. Speziali, P. Torre, and G. Traversi

INFN - Pavia, Dipartimento di Fisica Nucleare e Teorica, Universita' di Pavia,

*Spokespersons: Joel Butler and Sheldon Stone

Sez. di Pavia, Italy

A. A. Derevschikov, Y. M. Goncharenko, V. Yu. Khodyrev, V. Kravtsov, A. P. Meschanin,
V. Mochalov, D. Morozov, L. V. Nogach, P. Semenov, K. E. Shestermanov, L. F. Soloviev,
A. Uzunian and A. N. Vasiliev

Institute of High Energy Physics (IHEP), Protvino, Moscow Region, Russia

P. Ratcliffe and M. Rovere

University of Insubria in Como

C. Newsom and R. Brauner

The University of Iowa, Department of Physics & Astronomy,
Iowa City, IA 52242-1479

J. Hietala, Y. Kubota, B. Lang, R. Poling, and A. Smith

University of Minnesota, High Energy Physics, Tate Laboratory of Physics,
116 Church St. S.E., Minneapolis, MN 55455, USA

T. Y. Chen, D. Gao, S. Du, Ming Qi, B.P. Zhang, Z. Xi Zhang, and J.W. Zhao

Nanjing University, Dept. of Physics, Nanjing 210008, China

V. Papavassiliou

New Mexico State University

J. Rosen

Northwestern University, Dept. of Physics, Evanston, IL 60208

K. Honscheid, and H. Kagan

Ohio State University, HEP Group, Dept. of Experimental or Theoretical Physics,
Smith Lab, 174 W. 18th Ave., Columbus, OH 43210, USA

W. Selove

University of Pennsylvania, Philadelphia, PA 19104, USA

A. Lopez, H. Mendez, W. Ramirez, and W. Xiong

University of Puerto Rico, Mayaguez, Puerto Rico

G. Datao, L. Hao, Ge Jin, T. Yang and X.Q. Yu

University of Science and Technology of China, Department of Modern Physics,
Joint Institute for High Energy Physics, Hefei, Anhui 230027, China

C.F. Feng, Yu Fu, Mao He, J.Y. Li, L. Xue, N. Zhang, and X. Y. Zhang

Shandong University, High Energy Physics Group; Jinan, Shandong 250100, China

T. Coan and M. Hosack

Southern Methodist University, Dallas, TX 75275, USA

M. Artuso, S. Blusk, J. Butt., C. Boulahouache, O. Dorjkhaidav, J. Haynes,

N. Menaa, R. Mountain, R. Nandakumar, L. Redjimi, R. Sia, T. Skwarnicki

S. Stone, J. C. Wang, and K. Zhang

Syracuse University, 201 Physics Bldg., Syracuse, NY 13244-1130, USA

T. Handler and R. Mitchell

University of Tennessee, Knoxville, TN 37996-1200, USA

W. Johns, P. Sheldon, E. Vaandering, and M. Webster

Vanderbilt University, Department of Physics and Astronomy,
Nashville, TN 37235, USA

M. Arenton, S. Conetti, B. Cox, and A. Ledovskoy, H. Powell, M. Ronquest,
D. Smith, B. Stephens and Z. Zhe

University of Virginia, High Energy Physics Group, Charlottesville, VA 22901, USA

G. Bonvicini, D. Cinabro, and A. Schreiner

Wayne State University, Department of Physics and Astronomy,
666 W. Hancock, Detroit, MI 48202, USA

M. Sheaff

University of Wisconsin, Phenomenology Inst., Dept. of Physics,
1150 University Ave., Madison, WI 53706, USA

S. Menary

York University, Dept. of Physics
4700 Keele St., Toronto, ON M3J 1P3, Canada

Contents

1	The Physics Case for BTeV	3
1.1	Introduction	3
1.2	The CKM Matrix	4
1.2.1	Introduction	4
1.2.2	Unitarity Triangles	5
1.2.3	Neutral B Mixing	6
1.2.4	Current Status of the CKM Matrix	7
1.3	CP Violation in Charged B Decays	9
1.4	CP Violation Formalism in Neutral B decays	10
1.5	Techniques for Determining β	14
1.5.1	Results on $\sin 2\beta$	14
1.5.2	Removal of Two of the β Ambiguities	15
1.5.3	Other Modes for Measuring $\sin(2\beta)$	17
1.6	Comment on Penguin Amplitudes	18
1.7	Techniques for Determining α	19
1.7.1	Introduction	19
1.7.2	Using $B^o \rightarrow \rho\pi \rightarrow \pi^+\pi^-\pi^o$ To Determine α	20
1.7.3	Use of $B^o \rightarrow \pi^+\pi^-$ for Ambiguity Resolution	21
1.8	Techniques for Determining γ	22
1.8.1	Measurement of γ Using Time-Dependent CP violation in B_s Decays	22
1.8.2	Measurement of γ Using Charged B Decay Rates	23
1.8.3	Measurement of γ Using $B \rightarrow K\pi$ and $B \rightarrow \pi\pi$ Decay Rates and Asymmetries	25
1.8.4	Measurement of γ Using CP Asymmetries in $B^o \rightarrow \pi^+\pi^-$ and $B_s^o \rightarrow K^+K^-$	28
1.8.5	Opportunities with B_s Mesons if $\Delta\Gamma$ is $\sim 10\%$	31
1.9	Summary of Crucial Measurements for CKM Physics	33
1.10	Rare Decays as Probes beyond the Standard Model	34
1.10.1	$b \rightarrow s\gamma$	35
1.10.2	The Exclusive Decays $K^*\gamma$ and $\rho\gamma$	36
1.10.3	$b \rightarrow s\ell^+\ell^-$	36
1.11	The Search for Mixing and CP Violation in Charm Decays	38

1.12	New Physics	38
1.12.1	Introduction	38
1.12.2	Generic Tests for New Physics	39
1.12.3	New Physics Tests in Specific Models	41
2	Summary of Physics Reach and Comparisons With Other Experiments	54
2.1	Sensitivities to CP Violating Angles	55
2.1.1	Sensitivity in Determining α Using $B^o \rightarrow \rho\pi$	57
2.2	Sensitivity to B_s Mixing	59
2.3	Reach in Rare Decays	59
2.4	Sensitivities in New Physics Modes	60
2.5	Comparison with $e^+e^- \mathbf{B}$ Factories	61
2.5.1	Comments on Upgrades to KEK-B and PEP-II	62
2.6	Comparison with CDF, D0, CMS, and ATLAS	64
2.7	Comparison with LHCb	65
2.7.1	General Comparisons	65
2.7.2	A Specific Comparison: $B^o \rightarrow \rho\pi$	67
2.7.3	$B_s \rightarrow D_s^\pm K^\mp$	68
2.8	Summary	69
2.9	Appendix I: Update of Lepton Identification Techniques	70
2.10	Appendix II: Update on Flavor Tagging	73
2.10.1	Flavor Tagging Summary	73
2.10.2	Simulation and Event Selection	75
2.10.3	B_s Flavor Tagging	75
2.10.4	B^o Flavor Tagging	79
2.10.5	Combining Flavor Tags	80
2.10.6	Final Results	80
3	Detector Requirements	85
3.1	Requirements Based on the Physics of B Production at \sqrt{s} of 2 TeV	88
3.1.1	The $b\bar{b}$ Production Cross-Section	88
3.1.2	Characteristics of Hadronic b Production	89
3.2	Requirements Based on the Characteristics of B Decay Modes	93
3.3	Requirements Due to Characteristics of the Tevatron and the C0 Interaction Region	94
3.4	Quantitative High Level Requirements	95
3.5	Summary	96
4	Detector Description	99
4.1	Detector Overview	99
4.2	The C0 Experimental Area	102
4.3	BTeV Analysis Magnet	103
4.4	Pixel Vertex Detector	106

4.4.1	Introduction	106
4.4.2	Overview of Vertex Detector	106
4.4.3	Spatial Resolution	107
4.4.4	Pattern Recognition Capability	109
4.4.5	Radiation Hardness	110
4.4.6	Material Thinness	111
4.4.7	Readout Speed	111
4.4.8	Physics Capability	112
4.4.9	Summary	113
4.5	Forward Tracking System	115
4.5.1	Introduction	115
4.5.2	Forward Silicon Tracker	119
4.5.3	Forward Straw Tracker	122
4.6	Charged Particle Identification	125
4.6.1	Requirements	125
4.6.2	RICH radiators	125
4.6.3	RICH dimensions	127
4.6.4	Photo-detectors	130
4.6.5	Expected physics performance	131
4.7	Electromagnetic Calorimeter	135
4.7.1	Introduction	135
4.7.2	Description of the BTeV Calorimeter	135
4.7.3	Radiation Levels and Radiation Tolerance	137
4.7.4	Expected Resolution	139
4.7.5	Examples: Efficiencies in $B^0 \rightarrow K^*\gamma$ and $B^0 \rightarrow \rho\pi$	139
4.7.6	Crystal Acquisition	141
4.8	Muon Detector	144
4.9	General Design Considerations	144
4.10	Baseline Muon System	145
4.10.1	Baseline Geometry	146
4.10.2	Baseline Detector	147
4.10.3	Front-end Electronics	150
4.11	Trigger Studies	150
4.11.1	Properties of additional “noise” hits	150
4.11.2	A muon “tracking” trigger	151
4.11.3	Muon Trigger Summary	153
4.12	The BTeV Trigger System	155
4.12.1	Trigger Overview	156
4.12.2	Level 1 Vertex Trigger Algorithm	157
4.12.3	Level 1 Vertex Trigger Hardware	158
4.12.4	Levels 2/3	158
4.13	Data Acquisition System	160

4.13.1	Data Movement between Front End Electronics Boards and Buffer Memories	160
4.13.2	Data Buffering for the Level 1 Trigger	160
4.13.3	Data Buffering and Movement from the Level 1 to Level 2/3 Trigger .	161
4.13.4	Data Logging: Movement of Data from the Level 2/3 Processors to Mass Storage Systems	162
4.13.5	Slow Control and Monitoring, Hardware Management, and Parameter Control	163
5	C0 Interaction Region	166
5.1	Introduction	166
5.2	Accelerator Physics	168
5.2.1	Lattice	168
5.2.2	B0/D0 Collisions	173
5.2.3	Helix	173
5.2.4	C0 Collision Helix	177
5.2.5	B0/D0 Collision Helix	178
5.2.6	Orbit Correction and Physical Aperture	179
5.2.7	Higher Order Correction	182
5.2.8	Feeddown Circuits	185
5.2.9	Dynamic Aperture Calculations	186
5.3	Key Technical Details	191
5.3.1	LHC Style Quadrupoles - Overview and Conceptual Design	191
5.3.2	Corrector Design	199
5.3.3	Support Systems	202
5.4	A History of Other Approaches to Design of the Interaction Region	206
6	C-0 Outfitting	209
6.1	Introduction	209
6.2	Required Outfitting for the BTeV Detector and C-0 Interaction Region . .	211
6.2.1	C-0 Building Modifications	211
6.2.2	Upgrades required for the Interaction Region	216
6.3	Requirements and Assessments	216
7	BTeV R&D Program	217
7.1	Pixel Detector R&D	218
7.1.1	Introduction	218
7.1.2	Sensor development	218
7.1.3	Pixel readout chip	221
7.1.4	Bump bonding development	223
7.1.5	Multichip Module	224
7.1.6	Mechanical support	225
7.1.7	Future R&D Plan	228

7.2	Silicon Forward Tracker R&D	232
7.2.1	Silicon microstrip sensors	232
7.2.2	Front-end read-out electronics	233
7.2.3	Detector support mechanics and cooling	234
7.2.4	DAQ system	235
7.3	Straw Tube Tracker R&D	241
7.3.1	Single Straw Prototype	241
7.3.2	Wire Stringing and Tension Measurement	242
7.3.3	Straw Stretch/Tension Tests	243
7.3.4	Two-Module Prototype Construction	243
7.3.5	Other R&D	245
7.3.6	Simulations	246
7.4	Ring Imaging Cherenkov Detector R&D	248
7.4.1	HPD Development	248
7.4.2	HPD Front End Readout	248
7.4.3	HPD High Voltage	250
7.4.4	Mirrors	251
7.4.5	Liquid Radiator	252
7.4.6	Magnetic Shielding of Photodetectors	255
7.4.7	Radiation Damage Studies	255
7.4.8	Mechanical Design	256
7.4.9	Beam Test	256
7.5	Electromagnetic Calorimeter R&D	258
7.5.1	Introduction	258
7.5.2	PbWO ₄ Crystals	258
7.5.3	Mechanical Support Structure	262
7.5.4	Electronics	264
7.6	BTeV Muon System R&D	265
7.6.1	Introduction	265
7.6.2	Summary of the BTeV muon system	265
7.6.3	Past research and development work	267
7.6.4	Future research and development work	270
7.7	Trigger R&D	271
7.7.1	Level 1 Vertex Trigger	271
7.7.2	Level 1 Muon Trigger	274
7.7.3	Level 1 Hardware	275
7.7.4	Level 2	277
7.7.5	Level 3	279
7.8	Data Acquisition R&D	282
7.8.1	Overview	282
7.9	Data Acquisition Hardware	282
7.9.1	Data Acquisition Software	283

7.9.2	Summary and Future Plans	284
7.10	BTeV Real-Time Embedded Systems R&D	285
7.10.1	Introduction	285
7.10.2	Project Overview	285
7.10.3	Strong Connection to BTeV	288
7.10.4	Group Members	289
7.10.5	Current and Proposed Activities	289
8	Cost and Schedule	291
8.1	Cost	291
8.2	Schedule	293
8.3	Trade Studies	294
8.3.1	Choice of Pixels vs Strips for the Vertex Detector	294
8.3.2	Choice of $0.25\mu\text{m}$ CMOS for the pixel readout chip vs conventional radiation-hard technology	294
8.3.3	Choice of Commercial Switch and Data Highways over Custom designed Switch for BTeV event builder	295
8.3.4	Choice of $PbWO_4$ crystals for the EMCAL	295
8.3.5	Choice of single-sided silicon for the forward microstrip tracker	295
8.3.6	Choice of Photon Detector for the RICH Gas Radiator	296
8.3.7	Choice of a liquid radiator particle identifier to provide particle identification at low momentum	296